

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| S1 | 4242 | (magnetic adj resonance) and ((fix\$3 or attach\$3) near3 (coil or antenna or probe or resonator or "rf" or "r.f." or radio adj frequency)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/03/17 14:58 |
| S2 | 7356 | (magnetic adj resonance) and ((fix\$3 or attach\$3 or detach\$3 or detachable or attachable or insert\$3 or insertable or mov\$3 or movable) near3 (coil or antenna or probe or resonator or "rf" or "r.f." or radio adj frequency)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/03/17 14:59 |
| S3 | 621 | (magnetic adj resonance) and ((fix\$3 or attach\$3 or detach\$3 or detachable or attachable or insert\$3 or insertable or mov\$3 or movable) near3 (coil or antenna or probe or resonator or "rf" or "r.f." or radio adj frequency) with (hous\$3 or plate or shield\$3 or cover)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/03/17 15:00 |
| S4 | 555 | (magnetic adj resonance) and ((attach\$3 or detach\$3 or detachable or attachable or insert\$3 or insertable or mov\$3 or movable) near3 (coil or antenna or probe or resonator or "rf" or "r.f." or radio adj frequency) with (hous\$3 or plate or shield\$3 or cover)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/03/17 15:01 |
| S5 | 466 | (magnetic adj resonance) and ((attach\$3 or detach\$3 or detachable or attachable or insert\$3 or insertable) near3 (coil or antenna or probe or resonator or "rf" or "r.f." or radio adj frequency) with (hous\$3 or plate or shield\$3 or cover)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/03/17 15:02 |
| S6 | 315 | (magnetic adj resonance) and ((attach\$3 or detach\$3 or detachable or attachable or insert\$3 or insertable) near3 (coil or antenna or probe or resonator or "rf" or "r.f." or radio adj frequency) with (hous\$3 or plate or shield\$3 or cover)) | USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/03/17 15:26 |
| S7 | 365 | S5 not (@ad>"20031112" or @rlad>"20031112") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/03/17 15:04 |
| S8 | 294 | S6 not (@ad>"20031112" or @rlad>"20031112") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/08/14 09:16 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S9 | 202 | (magnetic adj resonance) and ((detach\$3 or detachable or attachable or insert\$3 or insertable or remov\$3 or removable) near3 (coil or antenna or probe or resonator or "rf" or "r.f." or radio adj frequency) with (hous\$3 or plate or shield\$3 or cover)) | USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/03/17 15:27 |
| S10 | 121 | (magnetic adj resonance) and ((detach\$3 or detachable or attachable or insert\$3 or insertable or remov\$3 or removable) near3 (antenna or probe or resonator or "rf" or "r.f." or radio adj frequency) with (hous\$3 or plate or shield\$3 or cover)) | USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/03/17 15:27 |
| S11 | 209 | (magnetic adj resonance) and ((detach\$3 or detachable or attachable or insert\$3 or insertable or remov\$3 or removable) near3 (antenna or probe or resonator or "rf" or "r.f." or radio adj frequency) with (hous\$3 or plate or shield\$3 or cover)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/03/17 15:31 |
| S12 | 5352 | (magnetic adj resonance) and ((detach\$3 or detachable or attachable or insert\$3 or insertable or remov\$3 or removable or slid\$4) near3 (antenna or probe or resonator or "rf" or "r.f." or radio adj frequency or transmitt\$3 or transmission or reception or receiv\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/03/17 15:32 |
| S13 | 5359 | (magnetic adj resonance) and ((detach\$3 or detachable or attachable or insert\$3 or insertable or remov\$3 or removable or slid\$4) near3 (antenna or probe or resonator or "rf" or "r.f." or radio adj frequency or transmitt\$3 or transmission or reception or receiv\$3 or transceiv\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/03/17 15:33 |
| S14 | 2469 | (magnetic adj resonance) and ((detach\$3 or detachable or attachable or insert\$3 or insertable or remov\$3 or removable or slid\$4) near (antenna or probe or resonator or "rf" or "r.f." or radio adj frequency or transmitt\$3 or transmission or reception or receiv\$3 or transceiv\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/08/13 10:25 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S15 | 2165 | (magnetic adj resonance) and ((detach\$3 or detachable or attachable or insert\$3 or insertable or remov\$3 or removable) near (antenna or probe or resonator or "rf" or "r.f." or radio adj frequency or transmitt\$3 or transmission or reception or receiv\$3 or transceiv\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/03/17 15:38 |
| S16 | 1088 | S15 and (hous\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/03/17 15:38 |
| S17 | 1116 | (magnetic adj resonance) and ((detach\$3 or detachable or attachable or insert\$3 or insertable or remov\$3 or removable) near (antenna or probe or resonator or "rf" or "r.f." or radio adj frequency or transmitt\$3 or transmission or reception or receiv\$3 or transceiv\$3)) | USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/03/17 15:38 |
| S18 | 457 | S17 and (hous\$3) | USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/03/17 15:39 |
| S19 | 273 | S18 not (catheter) | USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/03/17 15:39 |
| S20 | 20 | ("5304933" "5378989" "5574373" "5585724" "5675305" "5729141" "5736858" "5804968").PN. OR ("5952830").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/03/17 15:55 |
| S21 | 4 | (US-5952830-\$ or US-5551430-\$ or US-5664568-\$ or US-6591128-\$).did. | USPAT | OR | ON | 2007/08/13 08:51 |
| S22 | 0 | S21 and ("SENSE") | USPAT | OR | ON | 2007/08/13 08:54 |
| S23 | 8652 | (magnetic adj resonance) and ((multiple or plurality or group or array or many or several or various) near (antenna or probe or resonator or "rf" or "r.f." or radio adj frequency or transmitt\$3 or transmission or reception or receiv\$3 or transceiv\$3 or coil)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/08/13 08:53 |
| S24 | 1305 | S23 and ("SENSE") | USPAT | OR | ON | 2007/08/13 09:12 |
| S25 | 577 | S24 and (head) | USPAT | OR | ON | 2007/08/13 09:13 |
| S26 | 115 | S23 and ("SENSE" near (technique or method or imaging or procedure)) | USPAT | OR | ON | 2007/08/13 09:13 |
| S27 | 52 | S26 and (head) | USPAT | OR | ON | 2007/08/13 09:13 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S28 | 5 | ("4682112" "4712068" "4839595" "5500594" "6534983").PN. OR ("6812701").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/08/13 09:15 |
| S29 | 2555 | (magnetic adj resonance) and ((detach\$3 or detachable or attachable or insert\$3 or insertable or remov\$3 or removable or slid\$4) near4 (lid or cover or hous\$3 or shield\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/08/13 10:28 |
| S30 | 557 | (magnetic adj resonance) and ((detach\$3 or detachable or attachable or insert\$3 or insertable or remov\$3 or removable or slid\$4) near4 (lid or cover or hous\$3 or shield\$3) with (antenna or probe or resonator or "rf" or "r.f." or radio adj frequency or transmitt\$3 or transmission or reception or receiv\$3 or transceiv\$3 or coil)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/08/13 10:29 |
| S31 | 2 | US-20070069728-\$ | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/08/13 16:09 |
| S32 | 2 | S31 and (fix\$3 or permanent\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/08/14 08:59 |
| S33 | 2 | US-20070069728-\$ | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/08/14 08:58 |
| S34 | 1 | S33 and (thick\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/08/14 13:11 |
| S35 | 0 | S33 and (permanent\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/08/14 09:00 |
| S36 | 867 | (magnetic adj resonance) and (thick\$4 near4 (coil or antenna or conductor or probe or leg or rung or resonator)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/08/14 09:16 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S37 | 713 | (magnetic adj resonance) and (thickness near4 (coil or antenna or conductor or probe or leg or rung or resonator)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/08/14 09:15 |
| S38 | 630 | S36 not (@ad>"20031112" or @rlad>"20031112") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/08/14 09:16 |
| S39 | 110 | (magnetic adj resonance) and (mm near4 thick\$4 near4 (coil or antenna or conductor or probe or leg or rung or resonator)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/08/14 09:16 |
| S40 | 3 | (US-6768303-\$ or US-6348794-\$ or US-6198284-\$).did. | USPAT | OR | ON | 2007/08/14 10:02 |
| S41 | 3 | S40 and (copper) | USPAT | OR | ON | 2007/08/14 10:02 |
| S42 | 1 | (US-6768303-\$).did. | USPAT | OR | ON | 2007/08/14 10:21 |
| S43 | 0 | S42 and (thiockness or dimension) | USPAT | OR | ON | 2007/08/14 10:22 |
| S44 | 0 | S42 and (thickness or dimension) | USPAT | OR | ON | 2007/08/14 10:22 |
| S45 | 1 | S42 and (thick\$3 or dimension\$5) | USPAT | OR | ON | 2007/08/14 10:23 |
| S46 | 1 | S33 and (copper) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/08/14 11:20 |
| S47 | 0 | S33 and (interchang\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/08/14 11:21 |
| S48 | 1 | S33 and ((multiple or plurality or array or group) with plate) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/08/14 11:24 |
| S49 | 1 | S33 and (cover near plates) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/08/14 11:25 |
| S50 | 1 | S33 and ("sense") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/08/14 12:41 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|----|------------------|
| S51 | 10 | (US-6717406-\$ or US-5986531-\$ or US-6591128-\$ or US-5952830-\$ or US-5664568-\$ or US-5457387-\$ or US-5551430-\$ or US-6768303-\$ or US-6348794-\$ or US-6198284-\$).did. | USPAT | OR | ON | 2007/08/14 12:45 |
| S52 | 3 | S51 and (substrate) | USPAT | OR | ON | 2007/08/14 12:52 |
| S53 | 6 | S51 and (cylind\$5) | USPAT | OR | ON | 2007/08/14 13:23 |
| S54 | 2 | S33 and (position) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/08/14 13:11 |
| S55 | 8 | S51 and (reconstruct\$3 or transform\$3 or fourier or "FT") | USPAT | OR | ON | 2007/08/14 13:29 |
| S56 | 10 | S51 and (imag\$3) | USPAT | OR | ON | 2007/08/14 13:29 |